

Application No. 82544

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

THIS SPACE FOR OFFICE USE ONLY

Date of Filing in State Engineer's Office FEB 19 2013

Returned to applicant for correction _____

Corrected Application filed _____ Map filed NOV 21 2012 UNDER 82271

The applicant Henry C. Vogler IV

HC 33, Box 33920, Ely, Nevada 89301

Street Address or P.O. Box

of Ely

City or Town

Nevada 89301

State and ZIP Code

hereby make(s) application for permission to appropriate the

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of water is Antelope Springs

Name of the stream, lake, underground, spring or other sources.

2. The amount of water applied for is 0.0371 cfs

One second foot equals 448.83 gallons per minute.

(a) If stored in a reservoir give the number of acre-feet N/A

3. The water is to be used for Stock Water

Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kind of animals 6000 Sheep

(c) Other use (describe fully in No. 12) N/A

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

Tippett Valley
10-185
WR

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

SW1/4NE1/4 Section 34 T.23N.R.67E. MDM or at a point from which the Northwest corner of Section 34. T.23N. R.67E. MDM bears N 60°45'05" W 3934.31 feet.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Tippet Pass Grazing Allotment, see additional sheet for Legal Description.

7. Use will begin about January 1 and end about December 31 of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Existing springs and pond. Water Trucks. Water Pump

9. Estimated cost of works: All works currently Exist.

10. Estimated time required to construct works: 1 year

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 2 year

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This water source will be utilized for animals currently allowed on the Tippet Pass Grazing Allotment, water trucks will be filled to deliver water to sheep grazing through the area.

13. Miscellaneous remarks:

See Permit 82271 for map showing Spring location, POD, and Place of use

As shown on the accompanying map, there are two spring locations which both run into a small pond.

This filing is to gain standing in the event existing Permits at Antelope Springs are cancelled.

mtnhigh1996@att.net

E-mail Address

775-289-6722

Phone No.

Bxt.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

David E. Provost, PLS, WRS Agent

Type or print name clearly

Signature, applicant or agent

Mountain High Surveying

Company Name

1500 Murry Street

Street Address or PO Box

Ely, NV 89301

City, State, ZIP Code

Revised 07/09

\$300 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

2013 FEB 19 PM 1:07
STATE ENGINEERS OFFICE

RECEIVED

Question 6: Place of Use

Tippet Pass Grazing Allotment as shown on Water Application Map, further described as follows:

Sections 1,12,13,24,25, T.21N.R.65E. MDM;

Sections 2,3,4,5,6,7,8,9,10,17,18,19,20,29,30, T.21N.R.66E. MDM;

Sections 3,4,8,9,10,11,14,15,16,17,20,21,22,23,24,25,26,27,28,29,32,33,34,35,36,
T.22N.R.66E. MDM;

Sections 1,2, T.20N.R.67E. MDM;

Sections 1,2,3,10,11,12,13,14,15,23,24,25,26,35,36, T.21N.R.67E. MDM;

Sections 4,5,6,7,8,9,15,16,17,18,19,20,21,22,25,26,27,28,29,30,31,32,33,34,35,36,
T.22N.R.67E. MDM;

Sections 4,5,6,7,8, T.20N.R.68E. MDM;

Sections 31,32,33,34,35,36, T.20.5N.R.68E. MDM;

Sections 2,3,4,5,6,7,8,9,10,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,
34,35,36, T.21N.R.68E. MDM;

Sections 27,28,29,30,31,32,33,34,35, T.22N.R.68E. MDM;

Sections 31,32, T.20.5N.R.69E. MDM;

Sections 19,30,31, T.21N.R.69E. MDM;

RECEIVED
2013 FEB 19 PM 1:07
STATE ENGINEERS OFFICE